Ch 2

G R S 58]

Previous references
2nd 109-11 81-8 & 10-16 B July 1914
mc 93-14 81-7 & Oct 1914
—20— 83-14 & March 1915
—20— 89-13 B 24th May 1915
—20— 83 14 & April 1915 (Municipal)

1915.

File No 93-15

Serial Nos. ~~15—19~~
15—20 and 2

Later references
mc 93-58 21, 26 631 R March 1916
11 236-45 89 43 8 Aug 1916

120-18 a 1st 5 V
11 87—108 7 27 & 28
mc 50-76 28 214, 7.8, 11, 92, 132 14.

GENERAL AND REVENUE SECRETARIAT

mc 191-30 (8, 11, 12)
R £262-30 (12 & 14)
H. D. 31.8-34 (1-2)
mc 175-37 81 1—4
Mc 110-39 (60)

15—20 and 22—25
Serial Nos. ~~15 by 25~~

Part B for December 1915

SUBJECT.

Arrangements for water supply to Chitaldrug Town

-4/20 Loose 4 of 3-12-15

Sanctions the project of supplying water to the Chitaldrug town from the Kabbahalli tank at an estimated initial cost of Rs one lakh and maintenance charges Rs 5000/- a year, State that the Government will be prepared to bear three-fourths of the initial cost and undertake the work if the Government share of the Loan be received as a loan in Statement, the payment & interest being guaranteed by L. and requests the Dy. Comm. to

W D 1551—G1FE—20,000—15-12-15

normal maintenance charges

further correspondence re raising the loan to

G. R. S 111 1914-15

GENERAL AND REVENUE SECRETARIAT

Irl)

NOTES

File No 93/14

FILE HEADING

Arrangements for water supply to Chitalang Town

From

The Dy Commr Chitalang Dt

No 508 Dated 4 5 15 Received 6 5 15

Diary No 6884	Enclos	Spare Copies	Serial No 15

BRIEF ABSTRACT OF LETTER

States that he has requested the Sanitary Engineer Water Supply Division to make arrangements for having the water of the Santhe konda pumped & supplied to the people of Chitalang in lieu of that of the Seeni Konda and requests that the Sanitary Engineer may be requested to expedite the matter

NOTES AND ORDERS

Orders are solicited if the Chief Engineer may be requested to issue the necessary instructions in the matter submitted

KD 7/5/15

(2) The situation is critical

NOTES—First Sheet.

G1 B—20 000 8 8-11

General and Revenue Secretariat | Mal File No 93 of 1914-15

Serial No

(3) As was the Seemer Honda well pumping was taken up as an experiment with a double object (1) to supply drinking water to the inhabitants nearer the town — the well being nearly ~~a~~ 3/4 mile from the town (2) to test its capacity to see if it could be depended upon as a source of permanent water supply

(4) The D.C reports that the experiments have proved unsuccessful As water is going down in the well in these circumstances he did well in ordering the stopping of pumping at the well

(5) The proposal is to fix up the plant at the Sankha-khandia is a good one, as people have to descend a flight of nearly 50 or 60 steps & reach the water Has the D.C's action may be approved

The file may be forwarded unofficially to the Chief Engineer to save time, with the request that the Sanitary Engineer may be directed to put the work in hand as Dry season)

Mal 7/5

7) GR 7/5/15

(3

6884

G R S 12]

General and Revenue Secretariat. | Rel File No 93 of 1914-15

No. 217 of 14
98 5-15

Serial No

(8) Forwarded u.o.k. to the Chief Engineer for favor of issuing needful instructions to the Sanitary Engineer to get the work, proposed by the Deputy Commissioner of Chikballapur, in hand at once -

By order
M.S. Ramachandra Rao
For Secy

Dfl No 112 P. WD
10-5-1915

(9) Returned to the General and Revenue Secretariat after issue of needful orders, copy of which is attached

H Thompson
Deputy Chief Engineer,
Mysore P W D

Bangalore,
11th May 1915

12/5

NOTE--Contn sheet

GPS—25 000—22-3-1 1

/6a

Docket No.4613 dated the 11th May 1915 from the Chief Engineer of Mysore to the Superintending Engineer, Southern Circle.

With reference to correspondence ending with this office No.859/4338 dated the 6th May 1915, regarding water supply to Chitaldrug town, has the honour to forward herewith a copy of letter No.508 dated the 4th May 1915 and of its enclosure, from the Deputy Commissioner, Chitaldrug District, to the address of the Secretary to Government, General and Revenue Departments, in the matter of making needful arrangements for pumping water for domestic purposes from the Santhe honda at Chitaldrug.

2. In the circumstances brought to notice, the Sanitary Engineer, Water Supply and Stores Division, may be requested to arrange to shift the engine and pump from the Seenir honda and fix them at Santhehonda well Water may then be pumped to the iron tanks placed in a convenient locality that may be approved by the Deputy Commissioner.

3. The cost of this work may be debited to the savings on the estimate amounting to Rs 3,800 sanctioned in Government order No.6031-4/Ml.93-14-13 dated the 8th February 1915, for the supply from the Seenir honda well.

3. As the situation as regards the water supply would appear to be critical, immediate action should be taken in the matter.

6b

G R S 12]

General and Revenue Secretariat | Mil File No. 93 of 1914

Serial No 16

From

The Dy Coms Chittalong No. 579 Dated 8.5.15

Request that the Water supply Division may be requested to make arrangements for having water pumped from the Gopalaswami Konda by using the available oil engine & pump and Sanction to execute certain other works for improving the existing Service of water supply at a cost of Rs 1873

(2) Submitted with the remarks of the Chief Engineer & a draft for approval—

KP 12/5/15

(1) The whole of the Dy Comrs proposal may be sanctioned with the exception of "the 2nd cleaning and deepening of Lingamman a Vathi well" This not only costs a large amount of money (Rs 873) which the Dy Comr wants to be sanctioned from State funds, but in present circumstances it is a measure of doubtful expediency if not actually dangerous because it is said to be the well on which the people will have to depend in the last resort in the hot season of Sankt Konda also that

NOTE—Contn sheet

GPB—2,000—22-1-15

(6

G R S 12]

General and Revenue Secretariat | Irl File No 93 of 1914-15

Serial No	

fail So it won't do for ~~it~~ the temple ~~should~~ people should be afterwards deprived of even this last resort A further report may therefore be called for from the Dy. Comr on this point

VI) As regards the Popalsura Handa pumping Scheme, I have always thought it a very promising project, and it is a good thing it is going to be experimented upon at last

13) The Dy Comrs letter does not give details as to what works already sanctioned have been carried out, and what portion of the State grant has been utilized Without knowing this it is impossible to decide whether the Cost of the purposes works should be granted met from State or Municipal funds This question may be decided later on on receipt of a further detailed report

14) Draft sanctioning Dcs proposals & calling for further report submitted for approval

Dy Secy I

Asst 13/5

Draft may be apd

13/5

2nd Secretary

NOTE--Contn sheet

GPB—2,000—22-1-1

G R S 12]

General and Revenue Secretariat

1615

ML File No 93 of 191 4-15

Serial No.

(16) Draft approved by Dewan 2nd instly

ML
15/5/15

(17) Issue today & submit to Dewan for sign

17/5/15

17/5

To

17 The Deputy Commr, Chitaldrug
Chief Engineer } No 9068-70 dated
Comptroller } 17 5 15

Requests the Chief Engineer to make necessary arrangements for pumping the water from Gopalaswamy Honda at Chitaldrug by utilizing the pumping plant fixed at Seenr Honda and sanctions the execution of other works recommended by the Commr & calls for further information re the funds required & the desirability of

(18) For kind information — Dewan)

7652
16 15

(19) Seen by the Dewan

SDL
3/6 7/6

HP
7 6 15

Over

Note—Contn sheet

GPS—25 000—22-3 1

(8

7877

& R S 12]

General and Revenue Secretariat

Ml File No 93 of 1914-15

Serial No. 16

From

The Chief Engineer in Mysore

No 5760 dated 10.6.15

States with reference to the above that it is not possible to pump water from the Gopalaswamy bonda for reasons given by the Sanitary Engineer, Water Supply and Stores Division.

(2) It is not known if the Situation of Chitaldrug has changed since the 15 May 1915 on which Chitaldrug seems to have had a rainfall of 2 inches 020 cents. If the critical situation has passed over and no anxiety is to be felt for some time more it would be expedient to consider without loss of time the question of providing the town with a permanent water supply before the recurrence of similar conditions. Submitted for orders

KP 14.6.15

(2) Kind reference is also invited to passages marked in the Supdg Engineer's letter of 13th May, regarding the discontinuance of further pumping operations and giving a further trial to the supply of water from Seenaer Bonda

(3) We have already

15/6 Sanctioned the diversion of the

NOTE—Contn sheet.

G.P.B.—25,000—22-8-15

7577 (9

G R S 12]

General and Revenue Secretariat | Irl File No 93 of 1914-15

Serial No.

Ankle Mutt Stream or Saraf Halla as it is there called into the Seener Honda The Sanitary Engineer has great faith in this project, and from my local knowledge, I may endorse his opinion - There will It is also understood that when the Seener Honda was being fed by this halla, the town did not use to suffer from water-scarcity

(23) I hear the Situation has been considerably improved by the recent rains, and there is not much anxiety for the present

(24) After the diversion of the Ankle Mutt Stream to Seener Honda is completed, we the Seener Honda will may as proposed by the Sanitary Engineer be once more tested

(25) Mean while the Dy Comm may be asked to report what progress has been made in the execution of the Works sanctioned vide Go of 17 5-15, and to what the Situation is at present

1) Draft put up may be approved

Dy secy

Asst 16/6

2) Mr Dy - Asst 17/6

Notes—Contn. sheet

GPB—25 000—30 4 15

608

(10

G R. S 12]

General and Revenue Secretariat

hd File No. 93 of 1916 — 15 —

Serial No.

To

19 The Dy/Commr, Chittagong St No 10358 d 19/6/15

Enquires how far the works sanctioned for retrenching the water Scarcity in Chittagong have progressed

20 From

The Same Offices No. 75 dated 9 8 15

Reports that the removal of Silt from the existing wells at a cost of Rs 1586 has improve the capacity of the wells & that further experiments with hence to be made only in October next of the situation should from worse reports

(28) May the further promised be awaited

KP

16/8/15

PTO

Note.—Contin sheet.

GPE—20,000—26-8-15

GPS—1,000—19-7 13

Extract from the Proceedings of the [illegible] Meeting
of the Council of His Highness the Maharaja,
held at [illegible] on the [illegible] 191

29)

4. SUBJECT - (Clause iii of the Schedule)
Water supply project for the Chitaldrug town

OPINION OF THE COUNCIL

Government may give a grant of three-fourths of the cost of the water supply project for Chitaldrug town if the Municipality of that town are able to find the remaining one-fourth and to make adequate provision from current revenues for maintaining the installation

Sd M VISVESVARAYA,
Dewan of Mysore

Chitaldrug Cvafts Dr. 19

No C 1714

25 9 15

G R S 12]

General and Revenue Secretariat | Jud File No 93 of 1914–15

Serial No

(30) Extract from the Proceedings of the Council is put up

Forwarded with compliments to the Secretary to Government, Revenue Department for favour of necessary further action

By Order,

D. Narasimhalao 24/9

Secretary to Government,
General Department

(31) B^r IV for Govt Submission Note & with a draft Govt order & with all the references in the Case

VOT
25/9/15

(32) Submitted with a draft order & draft Subm. Note as directed

Obtained from D.O

(33) In the memo informally given to the Secretary by the Deputy Commr at Chitaldrug it is urged that a sum of Rs 6000 may be granted from State funds to carry out the temporary urgent measures pending the completion of Katrahal tank scheme in addition to the whole cost of the permanent scheme being given as a gift by the Council resolution there is no reference to the temporary measures that may become

NOTE—Contn sheet

W/D 185—GPB—500—29 7 15

(VB

G R S 12]

General and Revenue Secretariat | MC File No 193 of 1914-15

Serial No

3) The financial condition of the Chitaldrug Municipal as per budget figures for the current year is ~~as~~ shown hereunder

Opening balance for 1915-16	9788
Probable Receipts	12990
Total	22778
Probable Expenditure	10321
	12,457

It is submitted that ~~there is nothing unusual~~ the estimates represent the average income and expenditure as no unusual items have been provided for during the year. It will thus be seen that with the present sources of income the municipality will not be able to provide for either the initial outlay or the maintenance charges.

35) In this connection attention is respectfully invited to the remarks of the Supt Drg Engineer and the Engineer in charge of the Water Supply Deptt that the suggestions regarding the Seccir Honda should be given a fair trial before any costly scheme is taken up. Rules for orders.

Flag A

NOTE—Contn sheet

KL

GPB—25 000 -30 4 15

(10

R S 12]

General and Revenue Secretariat | Mll File No 93 of 1914

Serial No

36) This may be referred to the Financial Secretary in the first instance

Eg
29 9 1915

Secretary)

Remarks
The question of the capital cost to be provided about 1 lakh
File to be laid on tomorrow after 5 financial year
Dlw
30/9

37) Reference to the Financial Secy for the view of opinion in regard to the financial aspect of the Council Resolution

30
M Jayaraghavi
30/9/15

5-49

38) I do not think that it is necessary in this case to depart from the definite policy of requiring the Municipality concerned to contribute atleast half of the capital cost. The Municipality may be authorized to raise a loan of Rs 50 000 in the open market at 5 or 5½ /, the Govt guaranteeing the loan if necessary. A sum of Rs 4000 per annum set apart will provide interest and sinking

NOTE—Contn sheet.

GPE—20,000—20 6-15

(15

G R S 12]

General and Revenue Secretariat

File No 43 of 1914-15

Serial No

funds charges for such a loan. If the Municipality cannot bear this moderate burden in addition to working expenses it does not deserve, financially speaking a costly water works installation of the kind contemplated

1/10

1/10/15

1-10-15

NOTE—Contin. sheet

GPE—23,033—30-4-15

one for pumping water from wells and another for sinking a new well and deepening existing ones-costing Rs.3,800 and Rs.3,000 respectively, were sanctioned.

5 Later on, the situation became very acute Various temporary expedients were tried and small supplementary sources drawn upon with little benefit.

6. During my recent tour in the district, I personally discussed the question of providing Chitaldrug with a more satisfactory water supply with the District officers and Mr V Rangaswamy Iyengar, the Superintending Engineer Four schemes have been thought of, from time to time, of which the project already investigated by Mr Rangaswamy Iyengar in 1911 and recommended by me while I was Chief Engineer is considered to be the best. The project roughly estimated at Rs.72,000 in 1911 is likely to cost a lakh of rupees now and the maintenance charges may amount to about Rs.5,000 a year

7 The question of ways and means for financing the project was also discussed with the district authorities It was urged that the finances of the Municipality did not admit of a substantial share of the initial cost being debited to Municipal funds.

8 The subject was placed before the Council who are of opinion that three-fourths of the initial cost of the new water supply project may be granted by Government if the Municipality are able to find the remaining one-fourth and to make adequate provision from their current revenues for maintaining the installation when completed.

9 It is now proposed to convey administrative sanction to the project and to ask the Municipal Council

(18

to suggest ways and means for their share of the initial cost.

(ش) 10. In view of the difficulty of finding funds at present, the Deputy Commissioner will be requested to report on the feasibility of raising a loan in his district to meet the Government share of the cost, the interest being guaranteed by Government He will be informed that the work can be taken in hand only if he is able to raise the loan required.

(ع) 11 The proposals outlined above may be approved.

M. Y. [illegible]

3rd Nov. 1915.

SDL

(19

Record of Cases submitted for the Orders of His Highness the Maharaja

Subject

Proposals to improve the water supply of the Chitaldrug town.

399

Order

50) ~~K.R.W.~~
10/11/15

Sanction - RD
51) Please put up draft order
11 11 15 RC

Brin
11/11/15

KP
11/11
12/

52) 11/11/15

604 (20

J R S 12]

General and Revenue Secretariat | File No 93 of 1914-15

Serial No 2

Submitted with draft—

KP Dmo

13/11/15

Draft may be approved

Eg 16/11

Secy

Re draft may be appd?

HT 16/11/15

Eg 16/11

2d Member?

Dewan

20/11

20/11/15

Eg 20/11

2557
22/11/15

Revised draft approved by the Dewan to placed on the file

1 12 15

Approved & file same may be sent to 2d Member for info.

HT 1/12/15

Submitted for information

Eg 1/12

Second Member)

NOTE—Contin. sheet.

HT 2/12/15 GPB—20 000—30-6 15

2/12

Agreed Eg 2/12

GRS 13]

Routine Notes

[To be used only for notes, requisitions etc, not intended for permanent record]

The information required by the Secretary in connection with the draft prospectus for raising a loan for financing the water supply project of the Chitaldrug town as proposed to be called for in the accompanying draft vide 93-14

The ~~file~~ main file has been forwarded to the Financial Secretary for favour of remarks

K P Jnms
29 11 15 30/11

1 Issue
Eg
1/12

1/12

To
The Dy Comm Chitaldrug
No 4071 d 3 12 15

Request to him to report the date on which the repayment of the loan in 15 years as contd in the draft prospectus

N B —Should routine notes be written on small slips the notes must be copied or slips pasted on this form

GPB—50 J00—5 8 15

W R S 12]

General and Revenue Secretariat

Ml File No 93 of 1914-15

Serial No	
	Mr Hesketh consulted above case and his opinion has not been accepted by Govt.
	There is no reference to his opinion in the Submission note
	Draft letter to Chief Engineer submitted
	Mr Hesketh Secy
	Mr Hesketh
	Communicate
	Concurrence called for 16/12
23	To the Deputy Comr, Chittagong & the Comptroller and Chief Engineer No 4082-4 of 3-12-15. Sanctions the project of supplying water to the Chittagong town from the Karnaphuli river at an estimated initial cost of Rs 1 lakh and maintenance charge of Rs 5000 a year, & states that the Govt will be prepared to bear three fourths of the initial cost and undertake the work if Govt share of the cost can be raised as a loan in the D/ the payment of interest &

NOTE—Contn. sheet.

GPB—80,000—30-6-15.

R S 12]

General and Revenue Secretariat

MA File No 93 of 1914

Serial No	
	~~guaranteed by Govt and requests the Dy comr to suggest with~~ ~~him~~ in consultation with the Municipal Council ways and means for meeting the Municipal share of the initial cost and the annual maintenance charges
24	From the Deputy Comr, Chitaldrug Dt No 291 dated 10th December 15 States with reference to Dl 22 that the term for the repayment of the loan is fixed at 15 years as the people of the Dt are unaccustomed to long term loans and that in view of the general revision of taxes proposed to be carried out by the Municipal Council, the loan may be paid off in 15 years without any severe strain on the resources of the Municipal Council or other arrangements made at the expiry of the term
	Invited for information with reference to paras 8 and 23 of

NOTE—Contn. sheet.

GPS—20,000—20-6-15.

R S 12]

General and Revenue Secretariat | ML File No 93 of 1914

Serial No

~~the notes on the backed file~~

DS
(64) MMD
16/12/15
Sarj

BM 16/12

JES
16/12/15

Dep to Cane Worker
Conserning the

7/12

From

The Deputy Commr Chitaldrug dt,
No 304 dated 21st Dec 1915

Conveys the thanks of the Municipal Council of Chitaldrug for the promised contribution of 3/4ths of the mutal Cost for the water supply Scheme and States with reference to para 4 of the order dated 3rd Dec 1915 that the municipal portion of the mutal cost will be raised as a loan alongwith the Govt portion and that the municipal Council will revise their taxes or make other arrangements to meet the maintenance charges and to repay their portion of the loan with interest in the prescribed time

The Deputy Commr urges that the draft proposals for raising the loan of one lakh to provide the quota payable by the municipality & the Govt may be approved early with necessary alterations

The draft proposals is dealt with in the last file

Note—Contn sheet

GPR—20 000—30-6-15

KP 29.12.15 MMD

G R S 12]

General and Revenue Secretariat | Ind File No 93 of 1914-15

Serial No	
	Report of further action taken in the matter may be awarded.

GPB—2,000—21 14

D 6884
Jud 93-4-15
No 508.

Office of the Deputy Commissioner,
Chitaldrug District.
Dated Chitaldrug, 4th May 1915

V R. Thyagaraja Iyer Esquire M A ,
Deputy Commissioner,
C h i t a l d r u g

D. No Narasinga Row Esquire B A ,B L ,
Offg Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments,
B a n g a l o r e.

I R,

I have the honor to submit herewith for the infor
ation of Government and for such further action as may be deemed
it a copy of letter No 461 of this day's date to the address of
the Sanitary Engineer, Water Supply and Stores Division in the
tter of making needful arrangements for pumping water from the
the Honda at Chitaldrug, I request that you will kindly
quest that Officer to expedite the matter as the situation with
ard to water supply is rather discouraging

I have the honor to be,
S I R,
Your most obedient servant,

Deput, Commissioner,
Chitaldrug District

V

Jes

3PB—100,000—29-7 14

19th 4-15

From

The Deputy Commissioner
Chitaldrug Dist.

To

The Secretary to Government
General & Revenue Department
Bangalore

Dated

Despatched 4th May 1915

Received

General No 508
No

Enclosure No one

Submitting a copy of letter No 4615 the Sanitary Engineer with matter of the needful arrangements for pumping out water from Sandra Hondla at Chitaldrug and requesting to kindly request that Officer to expedite the matter

No 515/5

R C J T.

Office of the Deputy Commissioner,
Chitaldrug District.
Dated Chitaldrug, 8th May 1915.

From

V. R. Thyagaraja Iyer Esquire M.A.,
Deputy Commissioner,
C h i t a l d r u g.

D. M. Narasinga Row Esquire B.A ,B.L.,
Offg: Secretary to the Government of
His Highness the Maharaja of Mysore,
General and Revenue Departments,
B a n g a l o r e.

I R,

In continuation of my letter No.508 dated 4th May 1915, have the honor to submit herewith a copy of letter No. 1124 dated th instant received from the Sub Assistant Engineer, Water Supply nd Stores Division and to state that the Municipal Council of hitaldrug town is not in favor of installing the oil engine and pump t the Santhe Honda but it has been resolved that the scheme, outlined y the Executive Engineer, Chitaldrug Division, in his letter [illegible] ated 3rd May 1915 (a copy enclosed) viz supplying water to the town rom Gopalaswamy Honda on the Hills, may be taken up as it is calculated to secure a etter supply of water than the Santhe Honda or the Linganannavarthi ell. A copy of the resolution recorded at their special meeting ated 7th May 1915 is also sent herewith. As the Municipality is repared to bear the necessary charges in this connection, which ill be made available by necessary reappropriation of funds, I request hat their proposal may be sanctioned and the Water Supply Division equested to start the work immediately, using the oil engine and the ipes now laid up from Seenir Honda to the Santhe Gate The Sanitary ngineer has also been requested to take the necessary action in the atter in anticipation of Government sanction

2. The Municipal Council has also proposed (Vide resolution ated 30th April 1915 enclosed) that the marginally noted work

GPE—100,000—23-7 11

191

From

To

Dated

Despatched

Received

General No 517

No

Enclosure No 5

Requesting sanction
to the supply of water
to Chatrawoop from
Sorkeasan
Honda on the hills
to be carried by the
Executive Engineer

1. Removing silt from the old pit to the north of Seenir Honda (this will be a temporary well as suggested by D.P.W. water supply Division)	Rs 213.
2. Closing the Breach and diverting Baragerammana halla feeder to Seenir Honda.	Rs 368.
3. Deepening petta bhavi	Rs 202.
4. --Do -- Lakshmanarayarakeri well	Rs 217.
5. Removing silt and deepening Linganmanavarthi well.	Rs 873.
Total	Rs 1873.

may be executed with a view to augment the existing sources of water supply at a total cost of Rs 1873 to be met from the State Grant. Their request may kindly be sanctioned. The Municipality has spent since February 1915 not less than Rs 1000 for removing silt from the existing wells &c., as proposed in this office letter No. 290 dated 11th January 1915 and as sanctioned in Government order No 8031-4/ML.93-14-13 dated 8th February 1915 and the full benefit has not been achieved on account of the shallowness of the wells and want of under ground springs The money may however be said to have been well spent as the removal of the accumulated silt therein has tended to increase the capacity of the several wells.

3. The Favor of early orders of Governmertis solicited.

I have the honor to be,

S I R,

Your most obedient servant,

Deputy Commissioner,

Chitaldrug District

S.V.

Encl to Mel 93-14-16 (30

Copy of letter No. 1124 dated 6th May 1915 from the Sub Assistant Engineer, Water Supply and Stores Division, Bangalore to the President, Chitaldrug Municipality, Chitaldrug.

With reference to your No.461 dated 4th May 1915 to the Executive Engineer, Water Supply and Stores Division, regarding the shifting of the Oil Engine and Pump erected at Chitaldrug, I have the honor to inform you as follows:-

At present, as it is, the estimated amount has already been exceeded due to the increased cost of the materials and the shifting of the Engine and Pump and tanks would mean an additional cost which the Municipality will have to meet. It would also require at least 10 days to complete the work and if the municipality is prepared to meet the extra cost also, arrangements can be made for sending fitters for shifting and re-erecting the Engine and Pump.

Of course, as you say, the water in Santhe Honda also will soon be exhausted, if pumped by means of oil engine and that would mean shifting of the engine and pump once again, which would mean additional cost and labour.

The Executive Engineer is out of Head Quarters and he has been informed about this.

I consulted the Superintending Engineer, Souther Circle, and he is also of the same opinion

An early reply is solicited.

****

"C O P Y"

Deputy Commissioner,
Chitaldrug District.

S.V.

MCS

Copy of letter No 344 dated 3rd May 1915 from the Executive Engineer, Chitaldrug Division, to the President, Chitaldrug Municipality

Last evening Sanitary Inspector R. Bhima Row expressed the desirability of supplying water to town from Gopalaswamy Honda This morning I visited the locality to know the feasibility of the scheme.

2. Gopalaswamy Honda has 450' X 100' X 12' = 540000 C.Ft = 3450000 Gallons of water.

Taking 30000 gallons a day per 6000 population at 5 gallaons a head, the Honda can supply for more than 3½ months. Besides the whole catchment being of bare rocks, even slight rain falls will rapidly replenish at least a considerable portion of the quantity that may be drawn off. This is a great point. Hence I consider that there is enough supply available to save the whole town from its present unfortunate situation till the next heavy tank filling monsoon

3. There is also a convenient line for pipe laying from the Honda(A) to a point(C) in the main rear Kama Bhavi(D). This distance may not be more than 2500'. Supply can be made by gravitation from point "B"(Vide rough sketch) which is about 80' above the bed of the Honda. Water is therefore to be lifted to point (B) by means of an oil engine.

4. It will be necessary to get an efficient oil engine. The pipes laid from Seenir Honda well to Santhe Bagalu may conveniently be used for this line under proposal. The Municipality has a fitter and may employ the driver or operator working at the engine now planted at Seenir Honda. The cost of relaying the pipes and planting the oil engine etc will be Rs 500.

5. The whole town is in very critical and most pitiable situation on account of water scarcity The scheme is promising and feasible I would therefore recommend the same to the Municipal Council for immediate action.

6. The scheme if successful may be made permanent to meet future emergencies of the kind.

"COPY"

S.V.

Deputy Commissioner,
Chitaldrug District

Exc to bk 93-14
816

Meeting No. 14

Proceedings of the monthly meeting of the Chitaldrug Municipal Council held on Friday the 30th April 1915.

Present - The Deputy Commissioner and President.

Ex-Officio Councillors.

P. 1. The Vice President, Chitaldrug.

P. 2. The Executive Engineer, Chitaldrug Division.

P. 3. The District Sanitary Officer, Chitaldrug.

P. 4. The Amildar, Chitaldrug.

Non-Official Councillors.

A. 1. Mr B. Venkatasamanna

P. 2. " W. Tirumala Row

P. 3. " C. Chennakeshaviah.

P. 4. " M. B. Krishna Row.

P. 5. " N. Bhima Row.

P. 6. " C. Abdul Rahiman Saheb.

P. 7. " H. Parasurama Naik.

P. 8. " Etigo Mahalingappa.

P. 9. " S. Lingappa.

P. 10. " M. Anantha Chetty.

P. 11. " Doddakasi Narayana Chetty.

A. 12. " Syed Mohadin Hussain Saheb.

P. 13. " S. Rama Row.

X X X

XIV. Read Mr. Chakrapani Iyengar's letter dated 24th April 1915 regarding the sinking of a new well near Seenir Honda well. (2) The Vice President's memo dated 29th April 1915

Resolution.- The Municipal Council is of opinion that the contingencies foreseen in para 9 of the Superintending Engineer's letter No.21 dated 4th January 1915 to the Chief Engineer being about to happen the Government be requested to sanction the estimates in the Vice President's memo and the sinking of a new well near Seenir Honda well. The estimates will be sent to the Executive Engineer for scrutiny. The

new well near Seenir Hondh well will be sunk immediately in anticipation

(Sd) V. R. Thyagaraja Iyer,

P r e s i d e n t.

" C O P Y."

Deputy Commissioner.

S.V. Chitaldrug District.

Meeting No. 15.

Proceedings of the special meeting of the Chitaldrug town Municipal Council held on the 7th May 1915.

Present:- The Deputy Commissioner and President.

Ex-Officio Councillors.

P. 1. The Vice President, Chitaldrug.

P. 2. The Executive Engineer, Chitaldrug Division.

P. 3. The District Sanitary Officer, Chitaldrug

P. 4. The Amildar, Chitaldrug Taluk.

Non-Official Councillors.

A. 1. Mr. B. Venkatasamanna.

P. 2. " W, Tirumala Row.

P. 3. " C. Chennakeshaviah

A. 4. " M. B. Krishna Row

A. 5. " N. Bhima Row.

A. 6. " C. Abdul Rahima Saheb.

P. 7. " H. Parasurama Naik.

P. 8. " Etige Mahalingappa.

A. 9. " S. Lingappa

P. 10. " M. Anantha Chetty.

P. 11. " Doddakasi Narayana Chetty.

A. 12. " Syed Mohadin Hussain Saheb

P. 13 " S. Rama Row.

I Read Executive Engineer's letter No.344 dated 3rd May 1915 regarding the desirability of supplying water to Chitaldrug town from Gopalaswamy Honda and other communications from the Vice President regarding the water supply to the town.

Resolution - The Municipal Council is of opinion that the scheme outlined by the Executive Engineer in his letter dated 3rd May 1915, No 344, for water-supply from Gopalaswamy Honda is calculated to secure a better supply of water to the town than the installation of the oil engine and pump at the Santho Honda or the Linganannavarthi. The Executive Engineer's scheme also provides for the water supply from

Gopalaswamy Konda being distributed from the existing pipe line. The Municipal Council is also prepared to bear the necessary charges.

(Sd) V. R. Thyagaraja Iyer

P r e s i d e n t.

Deputy Commissioner,

S.V. Chitaldrug District.

Encl to W93-14 & 16 36

U R G E N T.

Office of the Deputy Commissioner,
Chitaldrug District.
Dated Chitaldrug, 4th May 1915.

No 461
4-5-15

From

The Deputy Commissioner,
Chitaldrug District

To

The Sanitary Engineer in charge of
Water Supply and Stores Division,
B a n g a l o r e.

S i r,

603-4
W93-14-13
5.5.15

I have the honor to state that the scheme ordered by Government and taken up by you, of supply water from Soonir Honda well in order to tide over the present water scarcity in Chitaldrug town, has proved rather unsuccessful, on account of the limited quantity of water that is being replenished after pumping. During the short period of pumping by means of the Oil Engine, it was found that the water in the well had gone down greatly i.e. (from 13-4 to about 7 foot and 19 foot). Further pumping has therefore been stopped reasonable fears having now been entertained that th townspeople will be deprived of the only source of drinking water supply.

2. As for supply of water required for domestic purposes, the difficulty is increasing day by day. The only source upon which the town is depending is Santhe Honda. As water therein has gone down, leaving about 45 deep steps the people find it nearly impossible to get water from it.

3. I request therefore that you will kindly arrange to remove the Oil Engine and pump from the ~~[illegible]~~ Soonir Honda well and fit it up at the Santhe Honda, so that the water may be lifted up and stored in the iron tanks, which, if necessary, may be removed near Honda itself.

4. In order to supplement the source of drinking water

a tempomary well will be shortly sunk in the Soomir Konda at some distance from the existing well. There is no necessity of pumping drinking water and giving it to the people at the Santho Gate. As water required for drinking purposes will be limited, the town-people can image to bring it up themselves from the Soomir Konda wells

5. As requested in para 3 above, I shall be much obliged if you will kindly send your subordinates to make needful arrangements to pump out water from the santha Konda. When the Santha Konda is exhausted, the Oil Engine and Pump may be removed to the Singanamavarthi well

6. The favor of an early reply is requested as the situation is (illegible) critical

I have the honor to be,

S I R,

Your most obedient servant,

(Signed) V R Jagannadha Rao

Deputy Commissioner,

S.V. Chitaldrug District.

"Copy"

Deputy Commissioner

Chitaldrug Distt

G.R S 28]

17/5

Diary No of letter replied to

GENERAL AND REVENUE SECRETARIAT.
(Mut)

the 191

Date of issue 17 5 15

Signed by Jt Sec M S Ramachandra Rao

Paper under disposal

Water Supply to Chitaldrug Town

File No 93-14

Serial No 285/14 17

Proceedings of the Government of His Highness the Maharaja of Mysore

READ—

G O No 6031-4/Mt 93-14-13 dated 8th Feby 14, Sanctioning certain immediate improvements to the Water Supply of ~~Ctt~~ Chitaldrug town

ORDER THEREON—No

(2) Correspondence ending with letter No 519 dated 8th May 1915 from the Deputy Comr, Chitaldrug District, stating that the Scheme

over

SUBJECT

pumping water from the Senior Honda well proved somewhat unsuccessful, owing to the limited quantity of water that was being replenished after pumping, that consequently he ordered pumping operations to be stopped, and Soliciting Sanction in accordance with the resolution of the Municipal Council to the Shifting of the pumping plant from Senior - Honda well to Gopalkrishnaswamy Honda and pumping water therefrom to the existing pipe line, and also to the execution of the marginally noted works to improve the existing Sources of water-Supply

Order thereon 9068-70/93-14-17 Ujl 917515

The proposal of the Deputy Commissioner to supply water to the town from Gopalaswamy Honda is Sanctioned Re

1. Sinking a temp well to the north of Senior Honda Rs 21
2 Diverting Baragar halla feeder to Senior Honda 365
3 Deepening Pettahan 20
4 Do Lakshmanarayana Ken well 217
5 Removing Silt and Deepening Linganna Varka bell 87

G R S 27]

GENERAL AND REVENUE SECRETARIAT

(*Continuation sheet draft form*)

Chief Engineer is requested to give immediate instructions for the shifting of the pumping plant now at Simon Honda will to the Pipal swamp Honda instead of to the Sandhi Honda as previously proposed by the Deputy Commissioner

2 The execution of the other works proposed by the Deputy Commissioner, with the exception of "clearing silt and deepening Lingamanaicken Vanthi well" are also sanctioned with reference to this work, the Deputy Commissioner's attention is invited to para 5 of his letter No 461 dated 4.5.15 to the Sanitary Engineer in charge of Water supply and Storm Drainage wherein it is stated that if

the Sawtha Honda spring, this well will be drawn upon, and he is requested to submit a further report, in Consultation with the Municipal Council, ~~of~~ about the expediency, ~~of~~ in such an emergency, of ~~of~~ pumping the well dry ~~of~~ stage for purposes of cleaning and deepening

3 The Cost of removing the pumping plant, and fixing it at Gopala Sawmy Honda, as well as its future working expenses will be borne by the Municipal Council. The question of the source from which the cost of the other works is to be met will be decided, on receipt of a further detailed report from the Deputy Commissioner as to the extent to which the works sanctioned in the

[Ed S 27]

GENERAL AND REVENUE SECRETARIAT

(*Continuation sheet draft form.*)

Govt Order Read above have been Carried out and the funds Sanctioned thereon have been utilized

MSR 15/5

MSR 13/5 Off'g Sec'y & Govt. 13/5/15

To

The Deputy Comm'r Chitaldrug

The Chief Engineer

The Comptroller

GPB—20,000—7 7 14

43

TELEGRAPHIC ADDRESS
Statcworks

No. 5760

MYSORE P W DEPARTMENT

CENTRAL OFFICE,

Bangalore 10th June 1915

From

KARPUR SHRINIVASRAO, Esq, B Sc, L C E,

Chief Engineer of Mysore,

Bangalore

To

D.M.Narasimga Rao, Esq., B.A., B.L.,

Offg. Secretary to Government,

General and Revenue Departments.

Sir,

Adverting to G.O. No. 9068-70/L.B.93-14 dated the 17th May 1915 in the matter of water supply to Chitaldrug town from the Gopalaswamy honda, I have the honour to forward herewith for information, a copy of the Superintending Engineer, Southern Circle's letter No. 1376 dated the 25th May 1915 and of its enclosure . It will be seen therefrom that it is not possible to pump water from the Gopalaswamy honda for reasons given.

I have the honour to be,

Sir,

Your most obedient servant,

Deputy Chief Engineer of Mysore.

S.b.

GPE—5 000—16-1 15

1915

MYSORE P W DEPARTMENT

No 5760

From

THE CHIEF ENGINEER OF MYSORE

Bangalore

To Secretary to Government

Dated Bangalore 10 6 1915

Despatched

Enclosure No

SUBJECT

Water Supply to Chitaldrug town

Enc to Mr 93-14-18

Letter No. 4376 dated the 2?th May 1915 from the Superintending Engineer, Southern Circle, to the Chief Engineer of Mysore, Bangalore.

- - - - - - - - - - - -

With reference to your No. 4975 dated the 20th instant I have the honour to submit herewith a copy of the Sanitary Engineer's No. 427 of even date and to state that I agree with the conclusion arrived at by Mr.Bhore. The impracticability of installing the pumps and engine near the Gopalaswamy Honda on the hills was explained by me to the Deputy Commissioner Mr.V.R. Tyagaraja Iyer who was here a few days ago.

Letter No. 427 dated the 20th May 191o from the Sanitary Engineer, Water Supply and Stores Division, to the Superintending Engineer, Southern Circle.

- - - - - - - - - -

Superintending Engineer's No. 3993 dated ?3th instant, regarding water supply to Chitaldrug town.

- - - - - - - - - - - -

In reference to the above, I have the honour to report that I inspected the town on the 16th instant, accompanied by the Offg. Deputy Commissioner, Mr.Chokkanna, the Vice-President and the Members of the Municipal Council.

The points under consideration were -

(1) Pumping water from the Seneer Honda
(2) do from the Santhe Honda
(3) do from the Gopalasawmy Honda.

It was decided by the members that it was undesirable to continue operation No. 1 as the supply from that well was thought to be limited. In this connection, I may mention that the yield from this well will have to be tested carefully, after the ankkat

into the Seeneer Honda I am still hopeful that if this becomes,
water has been diverted, the yield will be sufficient to supplement the present supply to the town.

As regards No. 2, the members were of opinion that as the quantity of water from this source was also limited it would be unwise to resort to pumping operations.

With regard to the last, viz., pumping water from the Gopalaswamy Honda, I pointed out the difficulties connected with the work of installing the present engine and pump at the site selected owing to the difficulties connected with the transport of the plant and also the difficulties connected with laying the delivery main. There is no road up to the top of the hill where the Honda is situated and no transport facilities are available. The work being of such a nature that it is not possible to guarantee the work being completed in a short time, nor at the small cost of Rs 500 mentioned in Deputy Commissioner's letter No. 466 dated 8-8-1918. The cost of the temporary road alone would come up to this figure. Besides, the difficulties connected with installing the engine and pump and laying the delivery main, the quantity of water that could be pumped would not be even ¼ of that mentioned in the above letter and the water is said to be fit for drinking purposes only after boiling. For these reasons and owing to the fact that Chitaldrug had a rainfall of 2 .20 on the 12th instant and which has brought a large quantity of water to the Seeneer Honda and consequently the situation being more favourable, it was decided that no pumping operations were needed at present, and that instead of resorting to these temporary operations, some permanent scheme for the town may be substituted. I may here mention that had the Municipality carried out the suggestions in regarding diverting the Ankli Mutt water into seeneer honda, a plentiful supply of water could have been stored from the recent rainfall, which would have placed the town in a very satisfactory condition. The Municipality are now about to carry out these suggestions

In conclusion, I beg that before any costly scheme for the town is undertaken, the suggestions with regard to the Seeneer Honda may be given a fair trial.

- - - - - - - - - - - - - -

" C O P I E S "

Deputy Chief Engineer of Mysore.

S.S.

17/6

G R S 26]

S 985/14

41

SUBJECT Water Supply to Chitaldrug Town

Diary No of letter replied to 15 11

General and Revenue Secretariat
( )
the 191

Date of issue 19/6/15

Signed by Mr M S Ramachandra Rao

Section Jud
File No 93
Serial No 14/19

No 1035-8
mlg 93-14-19 9/9/15

To The Dy: Comr
Chitaldrug Dt

Sir

Adverting to G O
No 9068-70 Mlg 93-14-19
dated 17.5.15, Sanctioning
the execution of certain
works necessary for
relieving the water-scarcity
in Chitaldrug town, I
am directed to Enquire
how far the works have

8/17 in file

ML 17/6/15 MS

proposed and what the
situation is at present.

I have &c

May
16/6

For Off'g Sec'y

1161

List of enclosures

Copied by

Examined by

3PB—20 6D—14-2-14

Office of the Deputy Commissioner,
Chitaldrug District.
Dated Camp Hosdrug, 9th August 1915

C. Venkata Rao Esquire B.A.,
Offg Deputy Commissioner,
C h i t a l d r u g

V. R. Thyagaraja Iyer Esquire M.A.,
Secretary to the Government of
His Highness the Maharaja of Mysore,
Revenue Department, Bangalore.

L R,

With reference to Government order No 9068-70/M1 93-14-17 ...od 17th May 1915 and in reply to General and Revenue Secretary's ...tor No.10358/M1 93-14-19 of the 19th June last enquiring how far Chitaldrug water works have progressed and what the present ...tion is, I have the honor to state as follows -

2. The total amount spent up to end of June last towards ...e removal of silt from the existing wells &c., as proposed in this ...ice letter No 298 dated 11th January 1915 is Rs 1586 and these ...ks have to some extent tended to increase the capacity thereof. ...t of the 5 works referred to in the preamble to Government order ...9068-70/L B.93-14 dated 17th May 1915, work No 2 viz, diverting ...agoramanahalla feeder to Seenir Honda has since been executed ... the cost debited to the Municipality. Since the execution of ...s work, the Honda has received by the recent rains a supply to ...t for about 4 months The other wells in the town also received ...e supply. The execution of the other works as also the Gopalaswami ...s project was not undertaken as the necessity for pumping water ... the Gopalaswami Honda ceased

3. It will be remembered that at the commencement of the ... last weather that the D.P.W. in the Water Supply Division installed ... Oil engine and Pump with a view to pump out water from the ...ir Honda well but that the work was stopped after 4 days' pumping

10/12/17

From 1915-16

The offg Deputy Commr
Chitaldrug District

To

The Secretary to Government
Revenue Department
Bangalore

Dated

Despatched 10th August 19

Received

General No 75
No

Enclosure No

Reporting on the
progress of the Chitaldrug town
works and on its present
situation.

GPB—30,000—30-4-17

as it was apprehended that the people might be deprived of the little supply available in the well during the hot season. The object of this scheme was to test the capacity of the springs in the valley in connection with the permanent water supply to the town and the scheme has not been fully worked out for the reason stated above. I think that it is necessary that the scheme should be pushed on during the next hot weather or even earlier if the October rains should withhold. As a part of the scheme a companion well by the side of the existing well in Seenir Honda has also to be sunk as suggested by the Superintending Engineer in his letter No 21 dated 4th January 1915 to the Chief Engineer. I have got up an estimate for the additional well which amounts to Rs 1500 and the same will be submitted in due course after scrutiny by the Superintending Engineer.

5 As regards the present situation it is difficult to form any opinion as everything depends upon the next few rains and it may however be stated that the situation is somewhat better than what it was during the last summer months of March, April and May 1915. The people are now getting water which is available in some of the wells in the town. Till now the Thimmannanayakanakere has not received any supply there having been up to now no tank filling rains. In case the October rains also should prove not copious the situation may again grow worse.

6 So far as I can see, the difficulty for water supply in the Chitaldrug town which is a chronic one can only be relieved by attempting more wells commanding perennial springs and pumping therefrom. A project might be prepared after sinking and testing one well alluded to above.

I shall submit a further report after making further investigation and experimentation.

I have the honor to be,

S I R,

Your most obedient servant,

Offg. Deputy Commissioner,
Chitaldrug District

S.V.

G R S 26]

SUBJECT Water Supply Scheme to Chitalong town

Diary No. of letter replied to 1917

Section Sup
File No 93
Serial No 22

General and Revenue Secretariat
( )
the 191

No 4071
Ml 93-15-22
93-12-15

Date of issue 3/12/15.

To The Dy Comm, Chitalong

Signed by Mr G Symes Vase Esqr

Dt

Sir

With reference to your letter no 749 dated the 19th November 1915 forwarding a draft prospectus for raising a loan for financing the Chitalong town water supply project, I am directed to request you to be so good as to report the date on which

52



List of enclosures

Copied by

Examined by

GPO—20 000—14-2-14

Comp'd No 2754 16-12-15

PROCEEDINGS OF THE GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE.

Read -

The following orders sanctioning proposals to improve the existing sources of water supply to Chitaldrug town and to facilitate the collection formulating of data for ~~framing~~ a scheme of permanent improvement to the water supply.

(i) G.O. No.11848-51/Ml.109-11-15 dated 25th May 1914.

(ii) No.6031-4/Ml.93-14-13 dated 8th February 1915.

(iii) No.9068-70/Ml.93-14-17 dated 17th May 1915.

2. Correspondence ending with letter No.75 dated the 9th August 1915 from the Deputy Commissioner, Chitaldrug District, reporting that the difficulty for water in Chitaldrug town is a chronic one and that the experiments for testing the capacity of the springs in the locality in connection with the permanent water supply could not be carried out owing to the precarious situation of the town in regard to water supply.

oooooooooo

Order No. 4087 Ml 93-14-23 23.12.15

Government observe that the existing water supply of Chitaldrug town cannot be depended on owing to the

scanty rainfall in the catchment area of Thimmannanayakankere which is the chief source of the present supply and that the situation during the summer months of March, April and May 1915 was extremely acute.

2. The question of providing the town with a more satisfactory water supply than the one it has at present, has been engaging the attention of Government for some time past. ~~Government~~ They understand that the results of investigation with a view to improve the existing sources are disappointing. After a careful consideration of the several new schemes suggested from time to time for an assured water supply, Government are of opinion that the temporary expedients resorted to are not likely to be satisfactory and that the only solution ~~to overcome~~ to the difficulty will be to work out the project for supplying water from the Katrahal tank recommended for adoption by the Public Works Department in 1911. Government are therefore pleased to convey their sanction to this project, which is estimated to cost roughly a lakh of rupees for initial outlay and Rs.5000 per annum for maintenance charges.

3. As the finances of the Chitaldrug Municipality do not admit of a substantial share of the initial cost being debited to municipal funds, Government will

will be prepared to bear three-fourths of the initial cost of the new water supply project if the Municipality are able to find the remaining one-fourth and to make adequate provision from their current revenues for maintaining the installation when completed.

4. The Deputy Commissioner and President, Chitaldrug Municipal Council is requested to suggest in consultation with the Municipal Council, ways and means for meeting their share of the initial cost and the annual maintenance charges.

5. Government propose to undertake the work, only if the Government share of the outlay, viz , Rs.75,000 can be raised as a loan in the District, the interest being guaranteed by Government.

6 The draft prospectus received with the Deputy Commissioner's letter No.249 dated 19th November 1915 for raising a loan of one lakh of rupees required for the scheme is engaging the attention of Government and their decision will be communicated in due course.

30.11.15

Secretary to Government

To Revenue Department.

The Deputy Commissioner, Chitaldrug Dt

The Comptroller, Mysore Govt. through Part II

The Chief Engineer in Mysore.

Mel 93 14-22

...ce of the Deputy Commissioner,
Chitaldrug District.
Dated Chitaldrug, 10th December 1915.

C. S. Balasundaram Iyer Esquire B A.,
Deputy Commissioner,
C h i t a l d r u g

V. R Thyagaraja Iyer Esquire M.A.,
Secretary to the Government of
H. H. the Maharaja of Mysore,
Revenue Department, Bangalore.

I R,

With reference to your letter No.4071/Ml.93-14-22 dated ...d December 1915, desiring me to report the data on which the repay-...nt of the loan of Rs 25,000 proposed to be raised for financing the ...me for supplying water to Chitaldrug town, is based, I have the ...nor to state that the period for the repayment is fixed at 15 years, ...ecause people of this part are unaccustomed to long term loans and longer term than 15 years does not find favor with them The ...eriod was fixed after consultation with members of the Municipal ...ouncil and other leading men. In view of the general revision of ...axes which it is proposed to carry out, I believe that the Municipal ...ouncil will be able to pay off the loan in 15 years without any ...evere strain on its resources or will be able to make other necessary ...rrangements at the expiry of this term

I have the honor to be,
S I R,
Your most obedient servant,
V. Thyagaraja Iyer
Treasury Assistant Commissioner,
For Deputy Commissioner,
Chitaldrug District
(Absent from station).

S.V.

MCS

5-9-15

1915-16

From

The Deputy Commissioner
Chitaldrug District

To

The Secretary to Government
Revenue Department

Dated Bangalore

Despatched 11th December 1915

Received

General No 2711
No

Enclosure No

Reporting the data
on which the repayment
the loan of Rs 25000 / proposed
to be raised for financing
the scheme for supplying
water to Chitaldrug town is
based

51

Office of the Deputy Commissioner,
Chitaldrug District.
Dated Chitaldrug, 21st December 1915.

C. S. Balasundaram Iyer Esquire B.A ,
Deputy Commissioner,
C h i t a l d r u g

V. R Thyagaraja Iyer Esquire M.A.,
Secretary to the Government of
H H the Maharaja of Mysore,
Revenue Department, Bangalore

I R,

Adverting to Government order No.4082-4/Ml 93-14-23 dated d December 1915 re the water supply of Chitaldrug town, I have the nor to submit herewith a copy of the resolution recorded by the nicipal Council conveying their respectful thanks to Government for e generous grant of ¾ths of the initial cost of the Katarahalu heme promised by Government

I request that you will be so good as to obtain the early ders of Government on the subject of the prospectus forwarded with ir office letter No. 249 of 20th November 1915 with such modifications the Government may deer fit as there are fair chances of the loan ing raised if the present season is taken advantage of

As regards ways and means for meeting their share of the itial cost, the Municipal Council have to raise a loan to that tent by the issue of debentures just like the Government share of t. This point having been considered and it is stated in para of the prospectus referred to above that debentures to the value of o lakh of rupees are open for subscription by the public To clear their share of the loan at the end of 15 years and to pay interest o maroon and to provide for the maintenance charges, the Municipal uncil have to take steps to revise their taxation In case the venue to be secured by revising the taxes be found insufficient for

157

Enc to Rev 93-14-25

Meeting No. 7.

Proceedings of the monthly meeting of the Chitaldrug town Municipal Council held on Saturday the 18th December 1915.

The Deputy Commissioner and President, (Absent).

Present.

Ex-Officio Councillors.

P. The Vice President, Chitaldrug. (Presided).

A. 2. The Executive Engineer, Chitaldrug.

A. 3. The District Sanitary Officer, Chitaldrug.

A. 4 The Amildar, Chitaldrug.

Non-Official Councillors.

A. 1 Mr. B. Venkatasamanna.

P. 2. Mr W. Tirumala Rao.

A. 3 Mr. C. Chennakeshaviah

P. 4. Mr. M B. Krishna Rao

5 Mr. N. Bhima Rao

6. Mr. C. Abdul Rahiman Saheb.

7. Mr. E. Parasurama Naik

P. 8. Mr. Ittige Mahalingappa.

A. 9. Mr S Lingappa

P. 10. Mr. M Anantha Chetty.

P. 11 Mr. Doddakasi Narayana Chetty

P. 12 Mr. Syed Mohadin Hussain Saheb

P 13 Mr. S. Rama Rao.

IX Read Government order No.4082-4/Rl 93-14-23 dated 3rd December 1915 sanctioning the project of supplying water to the Chitaldrug town from Katharal tank and directing that the Municipality should find ways and means for ¼ th of the initial cost of the project and also the annual maintenance charges

Resolution - Recorded. The Council desires to take this opportunity to tender its respectful thanks to Government for the generous and substantial aid that has been offered to it.

(Sd) T. Hanumantha Rao,

For President.

"C O P Y."

C S Balasundaram 17

Deputy Commissioner,
Chitaldrug District

S.V.

GPE—50,000—25 9-15

1945-43

From The Deputy Commissioner
Chitaldrug district

To The Secretary to Government
Revenue Department
Bangalore

Dated

Despatched 21st December 1945

Received

General No 304
No

Enclosure No 4 copy of Resolut

Submitting a copy of the Resolution recorded by the municipal Council conveying their respectful thanks to G for the generous grant of 3/4 th the initial cost of Kadurahalli water scheme sanctioned by H.E.G and soliciting early orders on the subject of the prospectu forwarded with this letter No 2 of 25th November 1945

the purpose and also to meet the maintenance charges of the water works, the Municipality has to make other necessary arrangements later on as stated in this office letter No. 291 of the 11th instant Preliminary action is being taken in regard to this matter and I shall address Government as soon as the subject is ripe for consideration by the Municipal Council and is considered by that body.

The favor of very early orders on the subject is solicited.

I have the honor to be,

S I R,

Your most obedient servant,

C S Balasundaram

Deputy Commissioner,

Chitaldrug District

S.V.

Yes